


# ATTACHMENTS FOR FORKLIFT TRUCKS



## FORK POSITIONER TYPE RZV




image shows RZV-GS






image shows RZV

The RZV fork positioner has a compact design featuring bar guides which have already proven for other series such as multi pallet handlers. Excellent visibility ensures safe and fast handling. The configuration of this unit enables the forks to be positioned outside of the frame width. Clamping is not allowed.

Our standard product range covers attachments for forklift trucks with capacity from 1200 kg to 18000 kg. The series comes as type RZV (integral sideshift), RZV-S (constant sideshift), RZV-G (integral sideshift, bolt-on forks) and RZV-GS (constant sideshift, bolt-on forks). For the entire series, it is also possible to use ISO hook-on forks for increased flexibility.

- excellent visibility
- very compact design
- high residual capacities
- large opening range
- bolt-on or hook-on forks
- DSP Durwen ServicePlus

## MULTI FORK POSITIONERS



The DPK-C double pallet handler has stable bar guides, thus offering compact design. Due to the very good visibility through the frame, safe and fast handling is guaranteed. The configuration of the unit allows for handling of 1 or 2 pallets, in longitudinal and transverse direction. The unit features constant sideshift as standard.



Our standard product range covers attachments for forklift trucks with capacity from 1200 kg/500 mm LC ISO II to 15000 kg/600 mm LC. Combined with Durwen ServicePlus technology, called DSP, which distinguishes itself by bolted and therefore easily exchangeable components, the Durwen DPK-C is extremely user-friendly.

- bolt-on forks
- excellent visibility
- good synchronisation of forks
- compact design and bolted components
- DSP Durwen ServicePlus
- more multipalletehandlers to be found in our product range or website
- Durwen makes multifork positioners for up to 8 pallets at one time



optional: automatic lubrication system

## REVOLVING FORK CLAMP TYPE DUZ



The DUZ revolving fork clamp is a versatile attachment which features 360° rotation. The load can be handled on the forks as well as clamped between them. Additionally the unit may be used for emptying boxes and other containers.

- stable construction
- compact design
- bolt-on forks
- standard with protection strip type SB-DG
- high grade motor
- 360° rotation
- direct drive
- pressure relief valve on clamp function as standard
- DSP Durwen ServicePlus


Are you looking for a digital version?  
[export@durwen.de](mailto:export@durwen.de)



## FORK CLAMP TYPE PGK-S


The PGK-S fork clamp can position its forks beyond the frame width of the unit. It is suitable for clamping of loads between the forks as well as for handling loads on the forks. The attachment combines good visibility and compact design. As standard, this unit is equipped with constant sideshift.

- excellent visibility
- very compact design
- high residual capacities
- large opening range
- bolt-on forks
- DSP Durwen ServicePlus







## TELESCOPIC FORKS TYPE TGZ




For many transport and loading applications, the TGZ hydraulic telescopic forks are the ideal solution as most transport vehicles can be loaded and unloaded from one side only. The telescopic forks are able to operate fully loaded. They feature 100% synchronised fork travel and 2 mm wear zone as standard. As an option, TGZ can be equipped with different versions of pallet stops.

- two cylinders per fork
- 100% synchronised fork travel
- solid pocket head
- operates fully loaded
- DSP Durwen ServicePlus



option: pallet stops  
type A: 75 mm on the fork pocket sides  
type B: 400 mm  
type C: 850 mm


## FORK POSITIONERS WITH TELESCOPIC FORKS



### **Type RZV-S-TGZ with hook-on telescopic forks, with constant sideshift**

The RZV-S-TGZ fork positioner features stable bar guides on which the adapters can be positioned. Constant sideshift enables using the complete sideshift at every fork position. This fork positioner combines compact design with excellent visibility and large opening ranges as well as high residual capacities. The telescopic forks are equipped with 2 mm wear zone as standard.

As standard, the fork positioner features a protection strip with integrated hose guide.




### **Type ZVP-S-TGZ with bolt-on telescopic forks, with constant sideshift**

The ZVP-S-TGZ fork positioner can hydraulically position the telescopic forks beyond the frame width. The attachment is suitable for applications in which different opening ranges are required, from pallet to long goods. Clamping of loads is not allowed. As standard, the fork positioner features a protection strip with integrated hose guide.


**DURWEN**  
Forklift Attachments

More than 75 years experience

## BALE CLAMP TYPE PBK, REVOLVING BALE CLAMP TYPE DPBK




The PBK bale clamp based on profile guides offers a stable and compact design. Bale clamps are used for handling waste paper, cloth, pulp and recycling bales without pallets. The unit is equipped with integral sideshift as standard.



The DPBK revolving bale clamp features profile guides for a stable and compact design. Revolving bale clamps are used for handling of waste paper, cloth, pulp and recycling bales without pallets. Handling is even more flexible through 360° rotation.


- excellent visibility
- very compact design
- high residual capacities
- standard with protection strip
- pressure relief valve on clamp function as standard
- wear strips welded under arms as standard
- reduced lost load center due to patented oilways
- DSP Durwen ServicePlus

## PAPER ROLL CLAMP TYPE PRK 360° / 180°



The paper roll clamp PRK 360° is designed to take paper rolls in bilge position and upright. The Durwen 360° direct drive enables well controlled and safe rotation. The short arm can either be chosen fixed or powered.


- strong design
- slim arm design
- direct drive
- wear protection as standard
- safety valve as standard
- DSP Durwen ServicePlus



The paper roll clamp PRK 180° is designed to take paper rolls in bilge position and upright. The Durwen 180° rack and pinion drive enables fast and safe rotation with a soft stop. The short arm can either be chosen fixed or powered.

- strong design
- slim arm design
- rack and pinion drive
- wear protection as standard
- DSP Durwen ServicePlus

# Durwen products for all your needs



## DURWEN SUPPORT WORLDWIDE



**DURWEN**   
Forklift Attachments

*More than 75 years experience*

Durwen Maschinenbau GmbH  
August-Horch-Straße 5  
56637 Plaidt - Germany

Phone: +49 26 32-70 00-0  
Fax: +49 26 32-70 00-299

export@durwen.de  
www.durwen.de



your partner